




ref. 99065121

LIFTING CUSHION HLB 31 - 12 BAR

HOGE DRUK HEFKUSSENS

Max working pressure: 12 bar

Max. lifting capacity at 12 bar: 306 kN (31.2 tonnes)

Max inflation height: 321 mm

Thickness including profile: 27 mm

DESCRIPTION

High pressure lifting cushion, 12 bar. Designed for optimum safety and control when lifting heavy objects. Offers 50% more lifting capacity: get more power from your lifting cushion or use a smaller, lighter model to get the job done.

TECHNICAL SPECIFICATIONS

- Centre markings on all sides for placing a smaller cushion on a larger model.
- Anti-slip surface with interlocking profile for maximum contact area and optimum stability.
- Reflective markings for optimum visibility in the dark.
- Integrated dust cap on air inlet.
- Visual display of inflation height, technical data and safety warnings on the cushion.
- Integrated handle.
- Equipped with sliding plates for easy sliding under objects.
- Cut-outs for optional lifting eyes.

- Max working pressure: 12 bar
- Max. lifting capacity at 12 bar: 306 kN (31.2 tonnes)
- Max inflation height: 321 mm
- Thickness including profile: 27 mm
- Air volume at 12 bar: 286 litres
- Water content: 24 litres
- Bursting pressure: 48 bar
- Material: rubber reinforced with 3 layers of aramid fibre (Kevlar)
- Weight: 8.6 kg
- Dimensions: 608 x 530 x 27 mm

Vanassche Firefighting Engineering

Brugsesteenweg 8
B-8531 Harelbeke
+32 (0) 56 710 130
info@vanassche-fire.be
BE 0415.345.684
RPR Gent - Afdeling Kortrijk
vanassche-fire.be

Vanassche Services

Brugsestraat 153
B-8531 Harelbeke
+32 (0) 56 738 188
services@vanassche-fire.be
BE 0473.397.315
RPR Gent - Afdeling Kortrijk
vanassche-fire.be

- Standard EN-13731: yes

ACCESSORIES

required

- 99063965: Operation HDC 12
- 99063969: sealing hose 12 bar 0.3m
- 99063964: Pressure reducer
- 99065128: Air hose AH 5 Y
- 99065127: Air hose AH 5 B
- 99063966: Air hose AH 5 O
- 99063967: Air hose AH 10 B
- 99065131: Air hose AH 10 Y
- 99065130: Air hose AH 10 O

optional

- AAS 12 air adapter kit
- 99071183: air control kit ACP 12
- 99014355: Compressed air bottle coupling 300 bar
- slide set
- 99063970: lifting eye kit





Vanassche Firefighting Engineering

Brugsesteenweg 8
B-8531 Harelbeke
+32 (0) 56 710 130
info@vanassche-fire.be
BE 0415.345.684
RPR Gent - Afdeling Kortrijk
vanassche-fire.be

Vanassche Services

Brugsestraat 153
B-8531 Harelbeke
+32 (0) 56 738 188
services@vanassche-fire.be
BE 0473.397.315
RPR Gent - Afdeling Kortrijk
vanassche-fire.be



Vanassche Firefighting Engineering

Brugsesteenweg 8
B-8531 Harelbeke
+32 (0) 56 710 130
info@vanassche-fire.be
BE 0415.345.684
RPR Gent - Afdeling Kortrijk
vanassche-fire.be

Vanassche Services

Brugsestraat 153
B-8531 Harelbeke
+32 (0) 56 738 188
services@vanassche-fire.be
BE 0473.397.315
RPR Gent - Afdeling Kortrijk
vanassche-fire.be